

# Vertical Dock Leveler



**SERCO**

In thousands of applications among the world's largest companies, Serco Vertical Dock Levelers provide reliable powered up and powered down performance and directly contribute to environmental efficiency, security, and cleanliness.

**SERCO<sup>®</sup>**

# THE PERFECT CONTROL; EFFICIENT, SECURE & CLEAN

**MAINTAINING A CLEAN, EFFICIENT WAREHOUSE ENVIRONMENT** is critical for a growing number of companies operating climate-controlled facilities. Serco's Vertical Dock Levelers directly contribute to environmental efficiency, security and cleanliness — allowing you to take control of your warehouse.

## CONTROL THE ENVIRONMENT

When installed with insulated doors, dock seals or inflatable shelters, energy management programs cannot be compromised by air infiltration through the leveler.

- Insulated door closes firmly on its bottom sill on the building floor, not the dock leveler
- Patented hinged bottom pad restricts air movement and energy loss even during the loading process




▲ Serco Vertical Dock Levelers do not compromise the energy efficiency of the insulated doors because they're installed inside the facility.



## CONTROL SAFETY

Serco Vertical Dock Levelers' innovative design provides added safety benefits on the loading dock

- Leveler stores leaning away from door opening and is fully powered to the loading position. Leveler stops instantly if lower or raise button is released.
- Run-off guards protect forklift and operator during loading/unloading operations
- Audible alarm sounds anytime leveler is stopped between stored position and loading range



▲ Conventional pit-style designs allow interior energy to escape and outside air infiltration through the pit, compromising efficiency and increasing the risk of spoilage.



## CONTROL CLEANLINESS

Serco Vertical Dock Levelers preserve an efficient, clean work environment.

- Underside of leveler easily accessible for inspection and scheduled maintenance
- Allow quick, unobstructed access to the pit or shelf for easy cleaning from inside the building
- Shelf or pit application prevents build-up of dirt or debris
- Reduces risk of rodent entry
- Design provides for minimal obstruction to cleaning pit floor

## CONTROL SECURITY

Unlike conventional levelers, Serco Vertical Dock Levelers are mounted behind the dock door to maintain essential security.

- Leveler is stored vertically, providing a tight seal around the doorway, eliminating potential entry and pilferage
- Can be designed to allow trailer doors to swing into building to further prevent pilferage and enhance security





◀ Custom CAD layout drawings to ensure maximum efficiency and space utilization

Remote mounted control panel with raise, lower, "quick cycle" lip extend and retract and "mushroom style" Emergency Stop buttons provide complete leveler control. Can be interlocked with other equipment for ultimate efficiency and control ▶



Patented hinged bottom draft pad maintains environmental control

Standard 16" lip with 18" or 20" lip optional

Run-off guards on deck assembly prevent forklifts from driving off side of leveler

Power-in/power-out lip cylinder provides superior operational control and reduced maintenance compared to conventional "gravity-fall" systems.

Structural channel beams and high tensile steel safety tread plate. Structural members are fully welded to the front and rear header assemblies

Maintenance locking bar with lockout pin prevents use while maintenance or cleaning is in process.

No leveler structure attached to pit floor for easy cleaning

Rear embed channel with 5 factory-welded hinges

Dual-acting main cylinder hydraulic system provides leveler with controlled power up and power down performance

▶ **Free Float**

When leveler is within 18" of the truck bed, the platform will automatically free float with the trailer to avoid possible damage to material handling equipment.

▶ **Bottom Pad**

Serco Vertical Dock Levelers are equipped with a patented hinged bottom pad which restricts air infiltration when the leveler is operational.

▶ **Pump/Motor**

The pump, motor and solenoid valves are remote-mounted from the leveler deck. This protects them from forklift damage and chemical wash downs. By making vital components easily accessible and keeping them safe from damage, Serco Vertical Dock Levelers offer a lower lifetime cost of ownership.



# THE PERFECT FIT, SHELF OR PIT.

**SERCO'S VERTICAL DOCK LEVELER** can be safely installed either on a shelf or in a pit. Both installations provide the same energy efficiencies and ease of maintenance. So with either choice, the energy savings alone means a positive return on your investment in a short time.

## Shelf Installations: The Easy Way.

With Serco shelf installations, Vertical Dock Levelers are installed along the edge of a continuous shelf that runs the full length of the loading dock.

- Provides continuous access.
- Easiest application to clean and maintain.
- Simplifies architectural design and construction.
- Custom stanchions and protective bollards available for controls.

## Pit Installations Give You The Most, Take Away The Least.

In pit-style installations, each Serco Vertical Dock Leveler is mounted at the back of a rectangular pit behind the insulated doors, leaving the pit floor accessible for quick and easy access for routine inspection, housekeeping and maintenance.

- Allows extra space between levelers for product staging and storage.
- Maintains a clean, uncluttered workplace.



Shelf Installation



Pit-style Installation

## SERCO INTEGRATED CONTROLS: THE ULTIMATE IN PERFORMANCE AND SAFETY.



- ▲ When integrated with Serco vehicle restraints, Vertical Dock Levelers and other dock devices are prevented from operating until the trailer is firmly locked in place.

1612 Hutton Drive, Suite 140  
Carrollton, TX 75006

Tel: 1.800.933.4834  
Fax: 972.389.4769

Email: [sales@sercocompany.com](mailto:sales@sercocompany.com)  
[www.sercocompany.com](http://www.sercocompany.com)



A continuing research program is in effect at Serco. We reserve the right to incorporate product improvement at any time without prior notice.